

HYSTER COMPANY PRICE LIST	R30XMA2 STRADDLE TYPE ORDERPICKER TRUCK Series Code G118
--	---

COMPLETE TRUCK

	Price	Weight Lbs.
<u>R30XMA2 - 240" 3-Stage VISTA Mast and 42" Forks</u>	\$25,385	5,100

Mast and Forks Included Above Are Underlined in the Price List.

STANDARD FEATURES

- | | |
|--|---|
| <ul style="list-style-type: none"> -24 Volt -Curtis SEPEX™ (Separately Excited Motor) Transistor Controller w/ Regenerative Braking and Automatic Field Control -Return-to-Center Electric Power Steering -Continuous Height Sensing -Thumb Operated Variable Speed Lift/Lower -Battery Compartment Rollers -Pallet Clamp -Polyurethane Drive Tire (13.5" x 5.5") (93 Durometer Rating) -Polyurethane Load Wheels -Adjustable Fork Widths -Retractable Side Gates with Lift & Traction Cutout -Amber Strobe Light -Electronic Power Disconnect with Key Reset -RF Data Terminal Connection | <ul style="list-style-type: none"> -Traction Cutout Override -Backlit Hour Meter Display includes Alphanumeric Messaging, Battery Discharge Indicator, and Lift Interrupt -Slack Chain Indicator -2 Fixed Work Lights, Dome Light, 2-Speed Fan -Cantilever Operator's Overhead Guard -Spacious Operator's Platform (27.5"D x 40"W) -Anti-Fatigue Floormat -Operator Amenities: Storage Pockets, Removable Trash Bin, and Cupholder -Wire Mesh Screen -Operator Tether Line with Full Body Harness Universal size fits Small through Large build -Battery Connector - 350 Amp, Red -Static Discharge Strap -UL Classification E |
|--|---|

BASIC MODEL

	Option No.	Price	Weight Lbs.
R30XMA2.....	051-02	\$ 20,610.	2,460

REQUIRED OPTIONS


Masts ¹ - 3-Stage VISTA	MFH:	Lowered: ⁴	Free Lift	Option No.	Price	Weight Lbs.
Installed	195"	89".....	0".....	153-01	\$ 4,205.	1,965
Only	213"	95".....	0".....	153-10	4,205.	2,100
	240"	105".....	0".....	153-11	4,245.	2,365
	270"	119".....	0".....	153-09	4,375.	2,625
	300"	131".....	0".....	153-05	4,425.	2,890

If Free Lift is required, contact SPED. See SPED Price List for additional mast sizes.

NOTICE: Before final mast selection, consult High Lift Sheets, any tire restrictions will be shown there. Contact Applications Engineering if special lift heights are critical. Units shipped from Greenville or Berea into the North American market having a lowered mast height in excess of 109 or 125 inches, respectively, will be shipped with the mast removed from the truck. Units shipping into the Latin American / Caribbean market will have the mast removed for lowered mast heights in excess of 89 inches. Should mast removal be desired for masts with lowered heights less than those outlined, please use the option code as noted for the appropriate series.

Mast Removal and Preparation for Shipment (if required).....	140-99	285.	-
--	--------	------	---

Subject to Change Without Notice	Prices F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 10/14/02	PAGE E-7.5 Effective 12/01/02
----------------------------------	--	----------------------	-------------------------------------



HYSTER COMPANY PRICE LIST	R30XMA2 STRADDLE TYPE ORDERPICKER TRUCK Series Code G118
--	---

REQUIRED OPTIONS (Cont'd.)

	Option No.	Price	Weight Lbs.
Carriage/ 3-Stage Platform			
40" Platform Width.....	157-40	N/C	620
48".....	157-48	\$ 80.	625
54".....	157-54	175.	630
60".....	157-60	275.	635
 Forks - Pin Type Installed Only			
Length Section Part No.			
36"..... 1.75" x 4"..... 2013011.....	163-36	495. Pair	225
42"..... "..... 2013012.....	163-42	530.	250
48"..... "..... 2013013.....	163-48	550.	270
54"..... "..... 2013429.....	163-54	585.	300
78"..... 2.00" x 5"..... 2013190.....	163-78	995.	630
Less Forks (Includes Mounting Hardware).....	163-99	65.	-
 Open End Clearance- ^{1,3}			
42".....	180-42	N/C	-
44".....	180-44	N/C	-
46".....	180-46	N/C	-
48".....	180-48	N/C	-


¹NOTE: Capacities are subject to derating depending on maximum fork height, base width, battery weight, and other options. Contact SPED for information concerning capacities.

²NOTE: Unless otherwise specified by the dealer on the order, all trucks ordered with a mast having a lowered height of 110" or greater will have the mast removed for shipment in an enclosed trailer.

OPTIONS FOR BASIC MODEL (Add-On)

	Option No.	Price	Weight Lbs.
Construction-			
Standard.....	020-01	Std.	-
Freezer (Continuous -20° F. Includes Heater on Traction Control. Includes Poly Siped Drive Tire.).....	020-02	\$ 705.	-
Upper Body Ventilation-			
2-Speed Fan in Operator Control Panel.....	026-01	240.	-
Adjustable Operator Controls-			
6" Vertical Adjustment of Operator Control Panel.....	028-01	215.	-
Steering-			
Return-to-Center (Recommend w/ option 028-01 for fork first travel).....	033-02	Std.	-
Multi-Turn w/ L.E.D. Direction Indicator.....	033-01	N/C	-
Base Arm Guide Rollers³-	042-06	575.	50
Pallet Clamp-			
With.....	045-01	Std.	-
Without.....	045-99	N/C	-
Voltage-			
*24 Volt.....	052-24	Std.	-
36 Volt (Includes Gray Battery Connector).....	052-36	\$ 1,310.	-

Subject to Change Without Notice	Prices F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 10/14/02	PAGE E-7.6 Effective 12/01/02
----------------------------------	--	----------------------	-------------------------------------



HYSTER COMPANY PRICE LIST	R30XMA2 STRADDLE TYPE ORDERPICKER TRUCK Series Code G118
--	---

OPTIONS FOR BASIC MODEL (Add-On) (Cont'd)

		Option No.	Price	Weight Lbs.
Approval-	UL Classification E.....	056-01	Std.	-
	*UL Classification EE.....	056-02	1,255.	-
* Lift speed reduced by 15% if both 24V 052-24 and UL Class EE 056-02 are ordered.				
Lights and Fan-	Without.....(Deduct).....	086-99	(615.)	-
	2 Fixed Work Lights, Dome Light, 2-Speed Fan.....	086-01	Std.	-
	2 Adjustable Spotlights, 2 Fixed Lights, Dome Light, and 2 Speed Fan.....	086-02	170.	10
Side Rails-	Fixed Hoop.....(Deduct).....	098-01	(205.)	-
	Retractable Side Gates with Lift and Traction Cutout.....	098-02	Std.	-
Hyster Wire Guidance-	6.25 kHz Line Frequency @ 78 mA Line Current.....	103-01	7,110.	-
	5.2kHz Line Frequency @ 35 mA Line Current (RAYGUIDE compatible).....	103-02	7,110.	-
	Consult SPED for other frequencis and / or line currents.			
High-Level Traction-	Traction Above 272" with restricted steering..... (Capacity reduction required. Contact SPED for capacity ratings.)	105-03	65.	-
Mast Lift Limit- (Specify Fork Height)	Lift Limit.....	111-01	175.	-
	Lift Limit With Override.....	111-02	340.	-
	Lowering Limit With Override.....	111-03	340.	-
Tether-	Operator Tether with Full Body Harness.....	257-03	Std.	-
	Retractable Operator Tether with Full Body Harness.....	257-04	260.	-
	Operator Tether with Medium Body Belt*.....	257-01	N/C.	-
	Retractable Operator Tether with Medium Body Belt*.....	257-02	260.	-
	*Medium Body Belt fits waist sizes 36" to 44".			
Truck Publications-	Parts Manual - Printed (Serial Number Specific, Distributed by Literature Distribution House.....	301-20	90. Net	-
	Parts Manual - CD (Serial Number Specific, Distributed by Literature Distribution House.....	301-30	90. Net	-

NOTE: Given the customized nature of this serial number specific manual, it cannot be returned or refunded. A Hyster Serial Number specific parts manual highlights in **Bold Type** those part numbers that are particular to an individual serial number unit. The manual also includes a section listing Special Products (SPED) options that were assembled on the unit prior to shipment from the manufacturing facility. Although every effort has been made to highlight each part specific to the actual serial number, the highlighting feature may not be 100% complete for all component assemblies; therefore, the manual also provides a listing of all other standard serviceable parts available in the unit's series. Hyster shall not be responsible for any errors or omissions. As an alternative, a series specific manual (without the bold type listings and SPED) is still available through normal ordering procedures at the Literature Distribution House.

Export Processing-		005-01	90. Net	-
---------------------------	--	--------	---------	---

³NOTE: For width across guide rollers add 11" to the Open End Clearance.

ACCESSORIES - Not Installed

		Part No.	Price	Weight Lbs.
Battery Stand-(Option 122-01).....	387979	\$ 330.	210
Battery Puller-(Option 123-01).....	387984	310.	45
Fire Extinguisher-	2.6 lb. Dry Chemical.....	146540	Parts Depot	5
Wire Driver for Wire Guidance System -	360634	Parts Depot	5

Subject to Change Without Notice	Prices F.O.B. FACTORY GREENVILLE, NC U.S.A.	Replaces 10/14/02	PAGE E-7.6.1 Effective 12/01/02
----------------------------------	--	----------------------	---------------------------------------